

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	220	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:14
S2	220	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical nea10("LUN" or (logical adj3 unit adj3 numbers)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:15
S3	71	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical nea10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:16
S4	58	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical nea10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near10 ("LUN" or (logical adj3 unit adj3 numbers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:17
S5	3	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical nea10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near10 ("LUN" or (logical adj3 unit adj3 numbers)) and ((optimiz\$3 or effic\$5) near10 ("LUN" or (logical adj3 unit adj3 numbers)) near10 mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:57

## EAST Search History

S6	3	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical near10("LUN" or (logical adj3 unit adj3 numbers))) and (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near10 ("LUN" or (logical adj3 unit adj3 numbers)) and ((optimiz\$3 or effic\$5) near10 ("LUN" or (logical adj3 unit adj3 numbers)) near10 mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:19
S7	3	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical near10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near10 ("LUN" or (logical adj3 unit adj3 numbers)) and ((optimiz\$3 or effic\$5) near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:20
S8	3	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical near10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near20 ("LUN" or (logical adj3 unit adj3 numbers)) and ((optimiz\$3 or effic\$5) near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:21
S9	2	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical near10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near20 ("LUN" or (logical adj3 unit adj3 numbers)) and ((optimiz\$3 or effic\$5) near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:22

## EAST Search History

S10	2	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical near10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and ((optimiz\$3 or effic\$5) near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:21
S11	2	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical near10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near20 ("LUN" or (logical adj3 unit adj3 numbers)) and ((optimiz\$3 or effic\$5) near20 mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:22
S12	34	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical near10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near20 ("LUN" or (logical adj3 unit adj3 numbers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:22
S13	24	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical near10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near20 ("LUN" or (logical adj3 unit adj3 numbers)) and optimiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:23
S14	22	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical near10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near20 ("LUN" or (logical adj3 unit adj3 numbers)) and optimi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:57

## EAST Search History

S15	2	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical near10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near20 ("LUN" or (logical adj3 unit adj3 numbers)) and (optimi\$5 with mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:23
S16	2	map\$4 near20 ("LUN" or (logical adj3 unit adj3 numbers)) near20 virtual same (physical near10("LUN" or (logical adj3 unit adj3 numbers))) same (client or initiat\$3) and (export\$3 send\$3 forward\$3 receiv\$3 obtain\$3) near20 ("LUN" or (logical adj3 unit adj3 numbers)) and (optimi\$5 same mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:23
S17	689	("LUN" or (logical adj3 unit adj3 numbers)) near20 (client or initiat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:58
S18	1	"20030172149" and ("LUN" or (logical adj3 unit adj3 numbers)) near20 (client or initiat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:59
S19	1	"20030172149" and (virtual near10 ("LUN" or (logical adj3 unit adj3 numbers)) with (client or initiat\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 13:04
S20	1	"20030172149" and (virtual near10 ("LUN" or (logical adj3 unit adj3 numbers)) with (client or initiator or host) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 13:32

## EAST Search History

S21	83	((client or host or initiator or node) near20 (logg\$3 or logs) near20 ((virtual adj3 logical adj3 unit) or "LUN") )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 13:34
S22	3	(client or host or initiator or node) near20 (logg\$3 or logs) near20 (virtual adj3 ((logical adj3 unit) or "LUN") )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 13:37
S23	3	(client or host or initiator or node) near20 (logg\$3 or logs) near20 (virtual adj3 ((logical adj3 unit adj3 number) or "LUN") )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 13:37
S24	2	(client or host or initiator or node) near20 (logg\$3 or logs) near20 (virtual adj3 ((logical adj3 unit adj3 number) or "LUN") ) and map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 13:38
S25	2	(client or host or initiator or node) near20 (logg\$3 or logs)with (virtual adj3 ((logical adj3 unit adj3 number) or "LUN") ) and map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 13:38
S26	3	(client or host or initiator or node) near20 (logg\$3 or logs)with (virtual near5 ((logical adj3 unit adj3 number) or "LUN") ) and map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 08:36
S27	3	(client or host or initiator or node) near20 (logg\$3 or logs)with (virtual near5 ((logical adj3 unit adj3 number) or "LUN") ) and map\$4 and ((client or host or initiator or node) near20 virtual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 13:51

## EAST Search History

S28	4	(client or host or initiator or node) near20 (logg\$3 or logs)with (virtual near5 ((logical adj3 unit adj3 number) or "LUN") ) and((client or host or initiator or node) near20 virtual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 13:52
S29	2	"20030131182"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 08:36
S30	1	"20030131182" and (client or host or initiator) same virtual same physical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 08:37
S31	1	"20030131182" and (client or host or initiator) same virtual same physical same "LUN"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 08:40
S32	1	"20030131182" and (client or host or initiator) same ("LUN" near5 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 08:47
S33	0	"20030131182" and (client or host or initiator) with ("LUN" near5 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 08:41
S34	0	"20030131182" and (client or host or initiator) with ("LUN" near10 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 08:41

## EAST Search History

S35	0	"20030131182" and (client or host or initiator) with ("LUN" with number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 08:41
S36	1	"20030131182" and (client or host or initiator) with ("LUN" )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 08:56
S37	0	"20030131182" and (client or host or initiator) with ("LUN" ) same pair	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 08:57
S38	0	"20030131182" and (client or host or initiator) same ("LUN" ) same pair	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 08:57
S39	1	"20030131182" and (client or host or initiator) same ("LUN" ) same map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 09:10
S40	1	"20030131182" and (client or host or initiator) same ("LUN" ) same identif\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 09:14
S41	0	"20030131182" and (client or host or initiator) same ("LUN" ) same (world near5 wide near5 nam\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 09:15

## EAST Search History

S42	1	"20030131182" and (client or host or initiator) same (world near5 wide near5 nam\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 09:16
S43	1	"20030131182" and (client or host or initiator) same fibre	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 09:18
S44	0	"20030131182" and (client or host or initiator) same ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 09:18
S45	1	"20030131182" and ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 09:18